

BUZZ ULTRA DF®

A broad spectrum systemic fungicide for winter wheat (excluding durum) and oilseed rape.

MAPP 17924

A water dispersible granule formulation containing 750 g/kg (75% w/w) tebuconazole.

PRODUCT BENEFITS

Winter wheat

Moderate protection against Brown rust (*Puccinia triticina*), Powdery mildew (*Blumeria graminis*), and Septoria leaf blotch (*Septoria tritici*).
Reduction of Fusarium ear blight (*Fusarium* spp.).

Oilseed Rape

Some reduction of Sclerotinia stem rot (*Sclerotinia sclerotiorum*) and a good reduction of Phoma stem canker (*Leptosphaeria maculans*).

Authorization Holder:

Helm A.G.
Nordkanalstrasse 28 - 20097 Hamburg
Germany
Tel no. :

Manufactured by:


Sulphur Mills Limited
604/605, 349 – Business Point
Western Express Highway

Andheri (E), Mumbai – 400 069
India

**Marketing company:
Name, address, tel no.**

BUZZ ULTRA

Contains 750 g/kg (75 % w/w) tebuconazole



Warning

Suspected of damaging the unborn child

Very toxic to aquatic life with long lasting effects

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

IF exposed or concerned: Get medical advice/attention

Store locked up.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste

Collect spillage

To avoid risks to human health and the environment comply with the instructions for use.

SAFETY PRECAUTIONS

Operator Protection

Engineering control of operator exposure must be used where reasonably practicable.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

IN CASE OF CONTACT WITH EYES RINSE IMMEDIATELY with plenty of water and seek medical advice.

WASH HANDS AND EXPOSED SKIN before meals and after work.

Environmental Protection

DO NOT CONTAMINATE WATER with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

To protect aquatic organisms respect an unsprayed buffer zone to surface water bodies in line with LERAP requirements.

DO NOT ALLOW DIRECT SPRAY from horizontal boom sprayers to fall within 5 m of the top of the bank of a static or flowing water body, unless a Local Environment Risk Assessment for Pesticides (LERAP) permits a narrower buffer zone, or within 1 m of the top of a ditch which is dry at the time of application. Aim spray away from water.

This product qualifies for inclusion within the Local Environment Risk Assessment for Pesticides (LERAP) scheme. Before each spraying operation from a horizontal boom sprayer, either a LERAP must be carried out in accordance with CRD's published guidance or the statutory buffer zone must be maintained. The results of the LERAP must be recorded and kept available for three years.

Storage and Disposal

DO NOT RE-USE CONTAINER FOR ANY PURPOSE.

KEEP IN ORIGINAL CONTAINER tightly closed in a safe place.
KEEP OUT OF REACH OF CHILDREN.
KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDINGSTUFFS.
WASH OUT CONTAINER THOROUGHLY, emptying washings into spray tank and dispose of safely.
Keep dry and frost proof in a suitable pesticide store.

The (COSHH) Control of Substances Hazardous to Health Regulations may apply to the use of this product at work.

IMPORTANT INFORMATION FOR USE ONLY AS A PROFESSIONAL FUNGICIDE, as directed below:			
CROPS	MAXIMUM INDIVIDUAL DOSE	MAXIMUM NUMBER OF TREATMENTS	LATEST TIME OF APPLICATION
Winter Wheat	0.33 kg product / ha	1 per crop	End of flowering BBCH69.
Oilseed rape	0.33 kg product / ha	1 per crop	Full flowering (BBCH65)
Other specific restrictions: For wheat, application must be made after BBCH 30. For oilseed rape, application must be made after BBCH 20.			
READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.			

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Buzz Ultra DF is recommended for protection against a range of diseases on oilseed rape and winter wheat.

For best disease control and yield benefit, Buzz Ultra DF should be applied preventatively. The full recommended dose must be adhered to. If disease pressure persists, application of an alternative product may be required to maintain disease control.

Winter wheat: Powdery mildew, Brown rust, Septoria leaf blotch, and Fusarium ear blight

Timing: This product should be used as part of a disease control programme. Application should be made as a preventative measure according to disease forecast starting from stem elongation (BBCH 30).

Dose

Apply 0.33 kg of Buzz Ultra DF in 200-500 litres of water per hectare.

A maximum of one application per crop

Oilseed Rape:

Sclerotinia stem rot

Timing: Application should be made as a preventative measure according to disease forecast at early to full flowering (BBCH 60-65).

Phoma stem canker

Timing: For a reduction in phoma leaf spot application should be made at the first sign of disease after GS 20.

Dose

Apply 0.33 kg of Buzz Ultra DF in 200-500 litres of water per hectare.

A maximum of one application per crop

Mixing

Add the required quantity of Buzz Ultra DF to the half-filled spray tank with agitation and then fill to the required level. Agitate regularly. Spray immediately after mixing.

Wash equipment thoroughly after use.

Re-entry Period

Do not allow entry into treated areas until the spray has dried. When prior entry is necessary, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing), chemical resistant gloves and footwear. Clothing must be laundered after each day's use.

First Aid:

1. If swallowed, induce vomiting by tickling the back of throat. Repeat it until the vomitus is clear. Do not induce vomiting if the patient is unconscious.
2. If clothing and skin are contaminated, remove the cloths and wash the contaminated skin with copious amount of soap and water.
3. If eyes are contaminated, flush with plenty of saline / clean water for about 10 – 15 minutes.
4. If inhaled, remove the patient to fresh air.

Advice to Physicians:

No specific antidote is known. Treat the patient symptomatically.

RESISTANCE MANAGEMENT

Buzz Ultra DF contains tebuconazole, a DMI fungicide. Resistance to some DMI fungicides has been identified in Septoria leaf spot (*Mycosphaerella graminicola*), which may seriously affect the performance of some products. For further advice on resistance management in DMIs contact your agronomist or specialist advisor, and visit the FRAG-UK website.

Repeated application of DMI or amine fungicides alone should not be used on the same crop against a high risk pathogen such as cereal powdery mildew. Alternation with fungicides that have a different mode of action has been shown to protect against the development of resistant forms of disease.

Use under curative situations (when disease is already well established and actively moving up the plant) must be avoided.

Strains of light leaf spot resistant to azole fungicides are known to exist. To avoid development of resistance apply product protectively in response to disease forecasts. Where possible, when light leaf spot is present use a fungicide with an alternative mode of action or mixes containing an alternative mode of action when targeting other diseases such as Sclerotinia at mid flowering

The possible development of diseases resistant to Buzz Ultra DF cannot be excluded or predicted. Where such resistant strains occur, Buzz Ultra DF is unlikely to give satisfactory control.

Storage

Keep at temperatures not exceeding 40°C and above -8°C. Protect from frost.
In case of emergency day or night, telephone National Chemical Emergency Centre:
(01865) 407333

Lot Number/Production Date:

Net content :