

CLAYTON SCABIUS

MAPP 13339

A suspension concentrate containing 450 g/l dodine

Fungicide for the control of apple and pear scab and blackcurrant leaf spot.



HARMFUL

**Harmful if swallowed
Irritating to eyes, respiratory system and skin
Risk of serious damage to eyes
May cause sensitisation by skin contact**



DANGEROUS FOR THE ENVIRONMENT

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

The Control of Substances Hazardous to Health (COSHH) Regulations may apply to the use of this product at work.

IMPORTANT INFORMATION

FOR USE ONLY AS A HORTICULTURAL FUNGICIDE		
Crop	Maximum individual dose	Latest time of application
Apple Pear	2.2 litres product per ha - see Other specific restrictions	Dessert apple: pre-blossom Pear: pre-blossom Culinary apple: early-July
Blackcurrant	See Other specific restrictions	-

Other specific restrictions
For high volume application, the maximum concentrations must not be exceeded:
on apples and pears – 1.1 litres product per 1000 litres water
on blackcurrants – 0.7 litres product per 1000 litres water

READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.

SAFETY PRECAUTIONS

Operator protection

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.

However, engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH CONCENTRATE from skin or eyes immediately.

DO NOT BREATHE SPRAY.

WHEN USING, DO NOT EAT, DRINK OR SMOKE.

WASH HANDS AND EXPOSED SKIN before eating and drinking and after work.

IF YOU FEEL UNWELL, seek medical advice immediately (show the label where possible).

If swallowed, seek medical advice immediately and show this container or label.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Environmental protection

DO NOT CONTAMINATE SURFACE WATERS OR DITCHES with chemical or used container.

Storage and disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

KEEP OUT OF REACH OF CHILDREN.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

This material and its container must be disposed of in a safe way.

DO NOT RE-USE CONTAINER for any purpose.

WASH OUT CONTAINER THOROUGHLY, empty washings into spray tank, and dispose of safely.

To avoid risks to man and the environment, comply with the instructions for use.

Safety data sheet available for professional user on request.

This product is approved under the Control of Pesticides Regulations 1986.

Clayton Plant Protection (UK) Ltd.

Net contents: **5-10 litres**

Unit F10

PROTECT FROM FROST

Bracetown Business Park

CLONEE

SHAKE THOROUGHLY BEFORE USE

Co. Meath

Ireland

Tel: (00 353) 1 8210127

Batch No:

Fax: (00 353) 81 8411084

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains dodine).
UN 3082; Class 9; Packing group III

Conditions of Supply: all goods supplied by us are of high quality and we believe them to be correct but, as we cannot exercise control over their storage, handling, mixing or use, or weather conditions before, during and after application which may affect the performance of the goods, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded, and no responsibility will be accepted by us or resellers for any failure in performance, damage or injury whatsoever arising from their storage, handling, application or use. These conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Clayton Scabius is a fungicide with both protectant and curative properties. Best results are obtained from the application of Clayton Scabius immediately before infection occurs.

APPLES AND PEARS - Control of scab

Crop/use	Treatment advice	Dose
Preventive programme for culinary apples	»» At bud burst. Make further applications at 10-day intervals up to petal fall. After petal fall spray at 14-day intervals usually to end-June.	<u>High volume</u> 70 ml product per 100 litres water
Preventive programme for dessert apples and pears	»» At bud burst. Make further applications at 10-day intervals to before first open flower. △ Further sprays with this product are not recommended owing to the risk of russetting and an alternative product should be used to continue the spray programme.	<u>Low volume</u> 1.5 litres product/ha
Curative treatment	»» As soon as possible (within 36 hours) after the start of a Mills period. △ This product is not suitable for use on dessert apples and pears after the start of flowering owing to the risk of russetting and an alternative product should be used on these crops.	<u>High volume</u> 110 ml product per 100 litres water <u>Low volume</u> 2.2 litres product/ha

BLACKCURRANTS

Disease	Treatment advice	Dose
Leaf spot, <i>Pseudopeziza ribis</i>	Pre-harvest disease »» At the early grape stage. Make further applications at 14-21 day intervals. Post-harvest disease »» Soon after harvest. Repeat 2-3 weeks later if required, depending upon the incidence of the disease.	70 ml per 100 litres water at high volume

SPRAY APPLICATION

Use sufficient spray volume to ensure good cover of the crop with penetration of the spray into the middle of the trees and bushes as appropriate. Apply to dry foliage when rain is not forecast.

SPRAY MIXING

Shake the product container thoroughly before opening. Three-quarters fill the spray tank with clean water and put under agitation. Mix in the required volume of Clayton Scabius through the top filter or filling device. Top up the tank with water and keep under agitation until sprayed out. When co-applying compatible products, add each separately to the spray tank, mixing Clayton Scabius in the spray tank first unless directed otherwise.

COMPATIBILITY FOR CO-APPLICATION

Clayton Scabius is compatible for co-application in tank-mixture with certain approved pesticides. Comply with the Directions for Use of the partner product and of this label. Mixtures with tetradifon or lime sulphur are not compatible.

PROCESSED CROPS

Processors should be consulted before treating crops intended for processing.

KEY TO SYMBOLS

»» = Recommended time or period of application

△ = Cautionary note