




CLAYTON UNION

An adjuvant containing 47%w/w methylated rapeseed oil as an emulsifiable concentrate for use as an adjuvant with certain herbicides for use in certain cereal crops **MAPP ADJ 0686**

	<p>Clayton Union contains 47%w/w methylated rapeseed oil as an emulsifiable concentrate</p> <p>May be fatal if swallowed and enters airways May cause an allergic skin reaction Harmful to aquatic life with long lasting effects</p>
	<p>Keep out of reach of children Avoid breathing dust/fume/gas/mist vapours/spray Wear protective gloves/protective clothing IF SWALLOWED immediately call a poison centre or doctor/physician DO NOT induce vomiting</p>
	<p>IF ON SKIN wash with plenty of soap and water If skin irritation or rash occurs, get medical advice/attention Dispose of contents/container to a licensed hazardous waste contractor or collection site except for empty containers which can be disposed of as non-hazardous waste</p>
<p>Repeated exposure may cause skin cracking or dryness</p>	

The Control of Substances Hazardous to Health (COSHH) Regulations may apply to the use of this product at work.

IMPORTANT INFORMATION : FOR USE ONLY AS AN AGRICULTURAL WETTING AGENT	
Crops:	Rye, triticale, barley and winter wheat
Allied pesticides:	Certain products containing pinoxaden or clodinafop as specified on relevant labels.
Maximum concentration:	0.5 % v/v of the total spray volume, or 1% if specified on the relevant herbicide label
Maximum number of treatments:	As per the statutory conditions of use of the allied pesticide
Latest time of application:	Before flag leaf sheath extending stage GS 41 or earlier if specified on the allied herbicide label
READ THE LABEL BEFORE USE. USING THIS PRODUCT IN A MANNER THAT IS INCONSISTENT WITH THE LABEL MAY BE AN OFFENCE. FOLLOW THE CODE OF PRACTICE FOR USING PLANT PROTECTION PRODUCTS.	

SAFETY PRECAUTIONS

Operator protection

Follow all operator exposure instructions for the allied pesticide.

Where the personal protective equipment specified on the adjuvant label is different from that specified on the allied pesticide label, the highest level of protective equipment must be worn.

Engineering control of operator exposure must be used where reasonably practicable in addition to the following personal protective equipment:

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate or when handling contaminated surfaces.

However engineering controls may replace personal protective equipment if a COSHH assessment shows they provide an equal or higher standard of protection.

WASH ALL PROTECTIVE CLOTHING thoroughly after use, especially the inside of gloves.

WASH SPLASHES from skin immediately.

WASH HANDS AND EXPOSED SKIN before meals and after work.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

Environmental protection

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads. Use appropriate containment to avoid environmental contamination.

Storage and disposal

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF REACH OF CHILDREN.

This material and its container must be disposed of in a safe way.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of the container safely.

To avoid risks to human health and the environment, comply with the instructions for use.

Clayton Plant Protection (UK) Ltd.,
Bracetown Business Park
CLONEE, Dublin 15
Ireland
Tel: (00 353) 1 8210127
Fax: (00 353) 81 8411084

Contents: **5 litres**
PROTECT FROM FROST
Batch No:

Conditions of Supply

All goods supplied by us are of high grade and we believe them to be suitable but as we cannot exercise control over their storage handling mixing or use or of the weather conditions before during and after application which may affect the performance of the goods all conditions and warranties statutory or otherwise as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us or resellers for any failure in performance damage or injury whatsoever arising from their storage handling application or use; these conditions cannot be varied by our staff or agents whether or not they supervise or assist in the use of such goods.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Clayton Union is an adjuvant recommended for use in cereals with certain formulations of pinoxaden or clodinafop, such as approved formulations MAPP12521, MAPP13052, MAPP15123, MAPP12742 and MAPP16941, according to the recommendations on the specific product labels.

RATE OF USE

Add 0.5 litres of Clayton Union per 100 litres of final spray volume (0.5 % v/v) or as specified on the partner product label

SPRAY MIXING AND APPLICATION

Follow the Directions for Use of the allied pesticide.
Fill the spray tank with half the required volume of water and begin agitation.
Add and disperse the herbicide product first.
Add the required amount of CLAYTON UNION and add the rest of the water.
Agitate the mixture thoroughly and always agitate during spraying.

=====

