

CLAYTON

PLANT PROTECTION

CLAYTON MEPIQUAT

SAFETY DATA SHEET

1. IDENTIFICATION OF SUBSTANCE

Clayton Mepiquat MAPP 12360
For use only as an agricultural plant growth regulator.

Marketing company

Clayton Plant Protection (UK) Ltd.,
Unit F10, Bracetown Business Park, Clonee, Co. Meath, Ireland.
Tel: (00 353) 1 8210127 Fax: (00 353) 81 8411084

COMPOSITION/INFORMATION ON INGREDIENTS

Mepiquat chloride	28 % w/w	CA 24307-26-4	Xn	R 22, 52/53
2-chloroethylphosphonic acid	14.2 % w/w	CA 16672-87-0	Xn, C	R 20/21, 34, 52/53

2. HAZARDS IDENTIFICATION

2-chloroethylphosphonic acid is an anticholinesterase organophosphorus compound. DO NOT USE if under medical advice NOT to work with such compounds.

Human	Ingestion: harmful if swallowed Eyes: irritating Inhalation: irritant
Environmental	May cause long-term adverse effects in the aquatic environment.

3. FIRST AID

Eyes: flush immediately with plenty of water for 15 minutes. Seek medical advice.

Skin: remove all contaminated clothing. Wash exposed skin and hair immediately with water, then with soap and water. If the patient feels unwell, seek medical advice.

Inhalation: remove to fresh air; seek medical attention if inhalation is suspected.

If swallowed: do not induce vomiting; wash mouth with water; drink 200-300 ml water; seek medical attention and show the container label or this datasheet.

National Poisons Information Service -Tel: 0870 600 6266

4. FIRE FIGHTING

Wear full protective clothing, goggles and respirator. Call fire brigade for all but small, immediately controllable fires. Product is not flammable, but packaging will burn. Do not breathe smoke. Toxic fumes may be released. Keep containers cool by spraying with water. Extinguish source of fire, preferably with dry inert powder, foam, carbon dioxide or water fog. Do not use a water jet. Contain fire-fighting water, bunding as necessary.

5. ACCIDENTAL RELEASE

Wear overall, face protection, rubber boots and suitable protective gloves as appropriate to the situation. Prevent contamination of water. Inform local water plc immediately if product enters drains. Inform Environment Agency/Scottish Environment Protection Agency if product enters surface or ground waters. Absorb spillage with sand or other inert material. Collect up all contaminated material and place in covered, labelled containers for disposal. Do not flush with water.

6. HANDLING AND STORAGE

Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Keep in original container, tightly closed, in a safe place. Store in a cool, dry place. Protect from frost.

7. EXPOSURE CONTROLS/PERSONAL PROTECTION

Wear suitable protective gloves and face protection (faceshield) when handling the concentrate

When using do not eat, drink or smoke.

Wash hands and exposed skin before meals and after work.

8. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: greyish, clear to hazy liquid
Odour: faint, sweet
Flash point: not flammable
Oxidising properties: none
Density: 1.09 g cm⁻³ at 20°C
pH of product: 0.5 – 1.0
Water solubility: miscible in all proportions

9. STABILITY AND REACTIVITY

Stable in packaging and in air at ordinary temperatures. Corrosive to aluminium.

10. TOXICOLOGY

Acute oral LD₅₀ for rat: >500 - <2000 mg/kg
Acute dermal LD₅₀ for rat: > 2000 mg/kg
Acute inhalation LC₅₀ (4-hour) rat: > 5.3 mg/litre air
Skin irritation: non-irritant
Eye irritation: irritant
Skin sensitisation: negative

11. ECOLOGICAL INFORMATION

LC₅₀ (96-hour) for rainbow trout: >100 mg/l
Daphnia LC₅₀ (48-hour): >100 mg/l
Algae EC₅₀ (72-hour): >1000 mg/l
Daphnia LC₅₀ (48-hour): >100 mg/l

12. DISPOSAL

Product: dispose of via an authorised disposal contractor.
Containers: dispose of via an authorised disposal contractor.
Consult also 'Pesticides: Code of Practice for the Safe Use of Pesticides on Farms and Holdings' (DEFRA/HSE).

13. ROAD AND RAIL TRANSPORT

CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (contains 2-chloroethylphosphonic acid).
UN 3265, Class 8; Packing Group III. Corrosive to aluminium.

14. REGULATORY INFORMATION



Xn HARMFUL

contains 305 g/l mepiquat chloride and 155 g/l 2-chloroethylphosphonic acid

R22 Harmful if swallowed
R36 Irritating to eyes
R37 Irritating to respiratory system
R53 May cause long-term adverse effects in the aquatic environment

S2 Keep out of the reach of children.
S13 Keep away from food, drink and animal feedingstuffs.
S35 This material and its container must be disposed of in a safe way.
S46 If swallowed, seek medical advice immediately and show this container or label

The Control of Substances Hazardous to Health (COSHH) Regulations may apply to the use of the product at work.

The product is approved under the Control of Pesticides Regulations 1986.

15. OTHER INFORMATION

Issued: March 2005 revised April 2012